



Bridge Bearings

Expansion Joints (Bridges & Architectural)

Steel Girders (Fabrication & Erection)

Rehabilitation

J.SONS HOUSE, GARH ROAD, MEERUT-250002 (U.P.) Tel. : 0121-4006097, 2603305-7 Fax : 91-121-2760797, 2760603

e-mail : info@jsonsbearings.com website : www.jsonsbearings.com

WEB PAGE INFORMATION AS PER PARA 9.0

As per Para 9.0 following documents are submitted.

S.No.	Title	Status
1.	Ownership detail. (partnership deed)	Enclosed
2.	Manufacturing unit:	
a)	Name & Address of firm.	Enclosed
b)	List of Machines.	Enclosed
c)	Plant layout.	Enclosed
d)	Photographs.	Enclosed
e)	RDSO approvals of POT bearing, expansion Joint & Elastomeric Bearings with annual production capacity and last quality audit date and next quality audit date.	Enclosed
f)	MSME Registration.	Enclosed
g)	Factory License.	Enclosed
h)	ISO 9001 Certification.	Enclosed
3.	Organization Chart.	Enclosed
4.	Detail of Testing Facilities:	
a)	As per Para 6.3 – list of Testing Machines	Enclosed
b)	As per Para 6.3.1 – MOU of Pibco Lab of 65 months with NABL certificate and Lab Reports.	Enclosed
c)	As per Para 6.4 – MOU of Carsul Lab of 65 months with NABL certificate and Lab Reports.	Enclosed
d)	As per Para 6.5 – Detail of Hydraulic Testing press.	Enclosed
5.	NABL approval of outsourced Labs.	Enclosed
6.	List of Employees with Experience and Qualification.	Enclosed
7.	Electricity bill and photos of DG sets.	Enclosed
8.	List of major works done in last 5 years.	Enclosed
9.	List of major work in hand.	Enclosed

We have submitted all the detail as per revised STR.

Warm Regards

For J.Sons Engg. Corpn. (I)



(Shalabh Gupta)
Managing Partner
Mob: 9837057568



उत्तर प्रदेश UTTAR PRADESH

T 530198

PARTNERSHIP DEED

THIS DEED OF PARTNERSHIP MADE AND EXECUTED ON THIS 10th. DAY OF SEPTEMBER 2013 BETWEEN

1. Shri Shalabh Gupta S/o Lt. Shri Akhil Kumar Gupta R/o C-6, Shastri Nagar, Meerut.
----- Hereinafter called the party of the First Part
2. Smt. Gunjan Gupta W/o Lt. Shri Akhil Kumar Gupta R/o C-6, Shastri Nagar, Meerut.
----- Hereinafter called the party of the Second Part
3. Shri Vivek Gupta S/o Lt. Shri Akhil Kumar Gupta, R/o C-6, Shastri Nagar, Meerut.
----- Hereinafter called the party of the Third Part

WHEREAS the above mentioned partners/ parties had been carrying on the business of manufacturing of bridge bearing and other related engineering goods in partnership under the name and style of M/s J. SONS ENGINEERING CORPORATION (INDIA) vide partnership deed dated 01.04.2006.

Whereas the second party of the deed i.e Smt. Gunjan Gupta W/o Lt. Shri Akhil Kumar Gupta shown her unwillingness to involve in the Business for full time in the beginning of the F.Y 2013-14 due to her age factor. She is ready to reduce her profit sharing ratio in the firm as mutually agreed with the other partners of the firm.

-Contd.2



उत्तर प्रदेश UTTAR PRADESH

--2--

BS 489833

WHEREAS to avoid any future eventualities the continuing above parties hereto have agreed to reduce in writing all the terms and conditions governing their mutual interest in the said business as follow:

1. That the partnership shall be deemed to have been commenced w.e.f. 1st day of April 2013.
2. That the name and style of the firm shall be M/s J. SONS ENGINEERING CORPORATION (INDIA) and the business shall be that of manufacture of bridge bearing and other related engineering goods or any other business or businesses which the partner shall decided between themselves to do, from time to time, in the said name and/or other name as may be agreed to by them.
3. That the partnership business shall be carried on at Garh Road, Meerut and/or at such other place or places as the partners shall determine from time to time.
4. That the partners shall contribute their share of capital as mutually decide by them.
5. That profits or losses of the business shall be divided between the partners and liabilities and assets, if any, shall be borne by them in proportion to their respective shares in the business which shall be as below:

Shri Shalabh Gupta	45%
Smt. Gunjan Gupta	10%
Shri Vivek Gupta	45%

-Cont.3



उत्तर प्रदेश UTTAR PRADESH

BS 489834

---3---

6. The remuneration will be paid to the working partner in terms of the provision of Income Tax Act 1961 as permissible. That the partners will be the working partners and will be paid the following remuneration.

Shri Shalabh Gupta	45% of the total remuneration as worked out below.
Smt. Gunjan Gupta	10% of the total remuneration as worked out below.
Shri Vivek Gupta	45% of the total remuneration as worked out below.
Total remuneration to the working partner will be higher of the following:	


- a. Rs. 150,000.00 or
- b. 90% of first part of Rs. 300000.00 plus 60% of the balance part of profit.

7. That each partner shall be entitled to interest on his capital investment @12% p.a., or at such rate as may be prescribed, from time to time, under the provision of Income Tax Act 1961.

8. That the partnership shall be AT WILL and terminable by any of the partner with three months notice in advance in writing to the other partner.

9. That loan can be raised either from banks/financial institution or from private parties and the properties of the firm can be given as security for the same. However, no partner individually shall be entitled or empowered to raise any loan for and on behalf of the firm except with the consent of the other partners. Any partner doing so in Contravention of this clause shall be personally liable and responsible for its repayment.

-Cont.4



उत्तर प्रदेश UTTAR PRADESH

AM 847700

—4—

10. That each of the partners shall be entitled to sign the agreements, contracts or any other documents for and on behalf of the firm and shall also authorized to draw the payments either in cash or by cheques/demand drafts, etc. from the government departments, local authorities, business houses or any other person or persons connected with and concerned with the business of the firm. All the acts, deeds and things of each partner shall be deemed to have been done for and on behalf of the firm, which shall be binding upon the other partner.

11. That none of the partners shall be entitled or dispose off, transfer or in any other way alienate or part with his share or interest in the firm to any other person except with the prior written consent of the other partners.

12. That the firm shall have its bank account (s) in any bank as per mutual consent of the partners, as may be decided by them mutually, from time to time, and shall be operated by the partners jointly or separately by any one. However, the partners can change the mode of bank operation with mutual consent without the necessity of writing a fresh partnership deed.

-Cont.5



उत्तर प्रदेश UTTAR PRADESH

22AA 911816

---5---

13. That the partners shall maintain or cause to be maintained the books of accounts, record, vouchers etc. and shall be kept at the place of business and the same shall be open for inspection by any of the partners or his authorized agent's at all reasonable times, with power to take copies and extracts thereof.

14. That the annual accounts shall be taken on 31st March each year of all the assets and liabilities of the firm, after defraying all the chargeable expenses and accounting for the income of the business. Any profit or loss resulting there from shall be credited or debited, as the case may be, to the personal accounts of the partners.

15. That each partner shall be entitled to draw the funds for his personal use against the expected profit and shall pay interest on such drawings as per Income Tax Act, 1961.

16. That in the event of the death of any of the partners, the firm shall not be dissolved but shall be carried on by the remaining partners with the heirs of the deceased, if the heirs of such deceased partner so desire on such terms and conditions as shall be agreed upon by them mutually.

-Contd.6



उत्तर प्रदेश UTTAR PRADESH

---6---

95AB 972436

17. That if during the continuance of the partnership or at any time afterwards any dispute touching the partnership business constitution, relations between them arises the same shall be referred to senior partner of the firm whose decision shall be binding upon all the partners including himself. Otherwise, all such dispute shall be governed by the provisions of Arbitration Act.

18. That on dissolution of the firm the business shall be wound up and the assets and liabilities dealt with in accordance with the provisions of the Indian Partnership Act 1932.

19. That all the provisions of the Indian Partnership Act, 1932 shall apply unless otherwise mentioned hereinabove.

IN WITNESS WHEREOF the parties hereto have set their hands on this instrument on the 10th day of September month and 2013 year afore mentioned.

WITNESS :

(Sanjay Kumar Gupta)

Sh. Shri. Vinod Kumar
Mangal Mandey Nagar
Meerut

(Party of the First Part)

(Party of the Second Part)

(Party of the Third Part)

GSTIN : 09AACFJ4108N1Z7



J.SONS ENGINEERING CORP. (INDIA)

APPROVED BY :

M.O.R.T.H.
&
R.D.S.O.

Bridge Bearings

Expansion Joints (Bridges & Architectural)

Steel Girders (Fabrication & Erection)

Rehabilitation

J.SONS HOUSE, GARH ROAD, MEERUT-250002 (U.P.) Tel. : 0121-4006097, 2603305-7 Fax : 91-121-2760797, 2760603

e-mail : info@jsonsbearings.com website : www.jsonsbearings.com

TO WHOM SO EVER IT MAY CONCERN

We are manufacturer of all types of bridge bearings & expansion joints in our workshop situated in Meerut.

Company/ Firm Name: J. Sons Engineering Corporation (India).

Office Address: J. Sons House, Garh Road, Meerut-250002, U.P.

Our firm Address : J. Sons Engineering Corporation (India). Khasra No. 1238, Village Datawali, Gessupur, Garh Road, Meerut (U.P).

J. Sons Engineering Corporation India.



Shalabh Gupta
Managing Partner
Mob: 9837057568



Bridge Bearings

Expansion Joints (Bridges & Architectural)

Steel Girders (Fabrication & Erection)

Rehabilitation

J.SONS HOUSE, GARH ROAD, MEERUT-250002 (U.P.) Tel. : 0121-4006097, 2603305-7 Fax : 91-121-2760797, 2760603


e-mail : info@jsonsbearings.com website : www.jsonsbearings.com

LIST OF MACHINERIES & EQUIPMENTS OF PLANT

S.NO	Name of Equipment	Make	Qty.
1	Standby Generating Set(82.5 KVA)	Qummins	01 No.
2	Standby Generating Set(125 KVA)	Qummins	01 No.
3	Planner Machines	Sharda/Sagar	03 Nos.
4	Shaper Machines	Pioneer	03 Nos.
5	Radial Drill Macines	Sagar	02 Nos.
6	Overhead Crane(10MT)	Jsons	01 No.
7	Overhead Crane(5MT)	Jsons	03 No.
8	Overhead Crane(2MT)	Jsons	01 No.
9	Straight Cutting Equipment	PUG	02 Nos.
10	Oxy-Acetylene Gas Profile Cutting	PUG	02 Nos.
11	Grinding Machines(AG-7)	Wolf/Bosch	05 Nos.
12	Polishing Machines	Wolf	02 Nos.
13	MIG CO2 Welding Machines(600 Amp)	Ador	02 Nos.
14	Arc Welding Machines(400 Amp)	Rama	05 Nos.
15	SAW	Rama	01 No.
16	Arc Welding Machines(250 Amp)	Rama	01 No.
17	Tool Grinder	CUMI	01 No.
18	Hydraulic Hackshaw	Multicut	01 No.
19	Hydraulic bandshaw	Multicut	01 No.
20	Vertical Lathe Machine	Saundi	01 No.
21	Horizontal Lathe Machines	United	09 Nos.
22	Buffing Machine	Wolf	02 Nos.



S.NO	Name of Equipment	Make	Qty.
23	Extruder/Mixing Mill	Durex	01 No.
24	Sand Blasting machine	Vands	01 No.
25	Compressor	Simco	02 Nos.
26	Cutting Die For Steel Plate	PUG	02 Nos.
27	Dies and Transfer Moulds	Jsons	200 Nos.
28	Hydraulic Jack(50T)	Techo-seient	04 Nos.
29	Hydraulic Jack(400T)	Techo-seient	02 Nos.
30	Automatic Thermic heating Moulding	Jsons	04 Nos.
31	Mechanical hoist(2T)	Jsons	01 No.
32	Hydraulic Press with Unit(2000T)	Jsons	01 No.
33	Ring Bending Machine	Jsons	01 No.
34	Bench Vice	JK	01 No.
35	PC with Printer	Intel	01 No.
36	Hand Drilling Machine	Bosch	01 No.
37	Broch cutter	Bosch	02 Nos.
38	Manuplator for EX.joints Welding	J.SONS	01 No.



LIST OF TESTING MACHINES & EQUIPMENTS

S. No.	NAME OF EQUIPMENT	QTY.
1	HORIZONTAL LOAD TESTING PRESS	01 NO.
2	VERTICAL LOAD TESTING PRESS	01 NO.
3	AGEING OVEN	01 NO.
4	DYE PENETRATION SET	01 NO.
5	ELCOMETER	01 NO.
6	VISCOMETER	01 NO.
7	UNIVERSAL TENSILE TESTING MACHINE	01 NO.
8	HARDNESS TESTING MACHINE FOR STEEL	01 NO.
9	TENSILE TESTING MACHINE FOR ELASTOMER	01 NO.
10	CUTTING PRESS FOR DISC MOULDING	01 NO.
11	SPECIFIC GRAVITY BALANCE	01 NO.
12	MUFFLE FURNACE FOR ASH CONTENT	01 NO.
13	COMPRESSION SET APPARATUS	01 NO.
14	ULTRASONIC TESTING MACHINE	01 NO.
15	SURFACE ROUGHNESS TESTER FOR SS	01 NO.
16	SHORE HARDNESS TESTER	02 NOS.
17	FIXTURE FOR SHEAR LOAD TEST	03 NOS.
18	VERNIER CALLIPER	02 NOS.
19	MICROMETER	01 NO.
20	DIAL GAUGES	04 NOS.
21	GO-NO-GO GAUGES	01 NO.
22	COMPRESSION LOAD DEFLECTION FIXTURE	03 NOS.



S. No.	NAME OF EQUIPMENT	QTY.
23	WELDING GAUGES	01 NO.
24	EDGE PREPARATION EQUIPMENT	02 NOS.
25	WEIGHING DIGITAL MACHINE	01 NO.
26	IMPECT TESTING MACHINE	01 NO.
27	CRUCIBLE	02 NOS.
28	MEASURING TAPES	01 NO.
29	DFT TESTER	01 NO.
30	SURFACE FLATNESS TESTER	01 NO.






J.SONS ENGINEERING CORP. (INDIA)

APPROVED BY :
M.O.R.T.H.
&
R.D.S.O.

Bridge Bearings | Expansion Joints (Bridges & Architectural) | Steel Girders (Fabrication & Erection) | Rehabilitation

J.SONS HOUSE, GARH ROAD, MEERUT-250002 (U.P.) Tel. : 0121-4006097, 2603305-7 Fax : 91-121-2760797, 2760603

e-mail : info@jsonsbearings.com website : www.jsonsbearings.com





Date: 18/06/2026

Place: Meerut




(Shalabh Gupta)
(J. Sons Engineering Corporation (India))

MS plate cutting section





Elastomer bearing manufacturing unit








Final material stock section





Drilling, Welding, Cutting section




Expansion joints stock section



Painting section





Planer and Shaper section



GSTIN : 09AACFJ4108N1Z7



J.SONS ENGINEERING CORP. (INDIA)

APPROVED BY :

M.O.R.T.H.
&
R.D.S.O.

Bridge Bearings

Expansion Joints (Bridges & Architectural)

Steel Girders (Fabrication & Erection)

Rehabilitation

J.SONS HOUSE, GARH ROAD, MEERUT-250002 (U.P.) Tel. : 0121-4006097, 2603305-7 Fax : 91-121-2760797, 2760603

e-mail : info@jsonsbearings.com website : www.jsonsbearings.com

RDSO APPROVAL DETAILS

1. POT BEARING

ITEM NAME :- POT BEARING

ITEM NO. :- 3100405

REGISTRATION ID :- BS-S-7.5.3.1-12 Ver. 2.0

ANNUAL PRODUCTION CAPACITY :- 7500 NOS

LAST QUALITY AUDIT DONE ON :- 31.03.2023

NEXT QUALITY AUDIT DUE ON :- 31.05.2029

2. EXPANSION JOINT

ITEM NAME :- EXPANSION JOINT

ITEM NO. :- 3100421

REGISTRATION ID :- BS-S-7.5.3.1-11 Ver. 2.0

ANNUAL PRODUCTION CAPACITY :- 15000 RM

LAST QUALITY AUDIT DONE ON :- 28.08.2023

NEXT QUALITY AUDIT DUE ON :- 30.06.2030

3. ELASTOMER BEARING

ITEM NAME :- ELASTOMER BEARING

ITEM NO. :- 3100417

REGISTRATION ID :- BS-S-7.5.3.1-10 Ver. 2.0)

ANNUAL PRODUCTION CAPACITY :- 10000 NOS

LAST QUALITY AUDIT DONE ON :- 28.08.2023

NEXT QUALITY AUDIT DUE ON :- 30.06.2030

Date: 18/06/2026

Place: Meerut



(Shalabh Gupta)

(J. Sons Engineering Corporation (India))

टेलीफोन / Tele: DOT-2465705(O) 2452426(Res.)
Rly. 43122(O) 43122(Res.)
फैक्स / Fax: 91-0522-2465705
E-mail: dsb2rdsob@gmail.com



भारत सरकार-रेल मंत्रालय
अनुसंधान विभाग और मानक संगठन
कमरा नं-223, एनेक्सी-विडिबिग
मानकनगर, लखनऊ & 226011
Room No. 223, Annex-I Building,
Research Design & Standards Organisation
(Government of India-Ministry of Railways)
Manak Nagar, Lucknow- 226011.

No: CBS/PBEJ/Reg/J. Sons

Date: 31.03.2023

M/s. J. Sons Engineering Corp. (India)
J. Sons House, Garh Road,
Meerut-250002 UP

Sub: Continuation in the approved list of RDSO for fabrication of POT-PTFE bearings with work address at Gesupur, Datawall, Garh Road, Meerut.

1. Based on Quality Audit of the infrastructure, T&P and other facilities installed at your work address at Gesupur, Datawall, Garh Road, Meerut, your firm registration is hereby continued in the approved list of RDSO for fabrication of POT-PTFE bearings.
2. Any change in the address of your office or manufacturing units shall be brought to the notice of Director General/B&S, RDSO, Lucknow. You are liable to be dropped from the approved list if your product is found unsatisfactory at any stage of fabrication and inspection or on any other violation as mentioned in ISO documents.
3. This continuation in the approved list of RDSO will be valid for a period of five years i.e. 31.05.2029. Next quality audit shall be initiated as per extant RDSO ISO guidelines.
4. The further continuation in the approved list of RDSO will be subject to Quality Audit which generally will be conducted after three years from the previous quality audit. However, if special condition warrants, Quality Audit may be conducted earlier also.
5. It is the responsibility of the firm to facilitate the RDSO Team for conducting Quality Audit as & when required.

Please acknowledge receipt of the letter.

Digitally Signed by Pradeep
Kumar

Date: 06-04-2023 10:08:14

(Pradeep Kumar)
Reason: Approved
Director/ B&S-II

For Director General/B&S

Copy forwarded for information and necessary action to:

1. Chief Bridge Engineer:
 1. Central Railway, Mumbai CST-400 001.
 2. Eastern Railway, Fairlie Place, Kolkata-700 001.
 3. East Central Railway, Hazipur-844 101
 4. East-Coast Railway, Bhubaneshwar-751 016.
 5. Northern Railway, Baroda House, New Delhi-110 001.
 6. North-Central Railway, Allahabad-211 001.
 7. North Eastern Railway, Gorakhpur-273 001.
 8. North-Western Railway, Jaipur-302 001.
 9. Northeast Frontier Railway, Maligaon, Guwahati-781 061.
 10. Southern Railway, Park Town, Chennai-600 003.
 11. South Central Railway, Rail Nilayam, Secunderabad-500 371.

12. South East Central Railway, Bilaspur-495 004.
 13. South Eastern Railway, Garden Reach, Kolkata-700 043.
 14. South-West Railway, Hubli-580 023.
 15. Western Railway, Mumbai-400 020.
 16. West-Central Railway, Jabalpur-482 001.
- II. General Manager (Const.), Northeast Frontier Railway, Maligaon, Guwahati-780 011.
- III. Chief Administrative Officer (Constn.):
1. Central Railway, Chhatrapati Shivaji Terminus, Mumbai -400 001.
 2. Eastern Railway, Fairlie Place, Kolkata-700 001.
 3. East Central Railway, Mahendru Ghat, Patna-800 004.
 4. East-Coast Railway, Bhubaneshwar-755 001.
 5. Northern Railway, Kashmere Gate, Delhi- 110 006.
 6. North-Central Railway, Allahabad-211 001.
 7. North-Eastern Railway, Gorakhpur- 273 001.
 8. N.F. Railway, Maligaon, Guwahati-781 011.
 9. North-Western Railway, Near Jawahar Circle, Maliviya Nagar, Jaipur-302 006.
 10. Southern Railway, 183, EVR Periyar, High Road Egmore, Chennai -600 008.
 11. South Central Railway, Rail Nilayam, Secunderabad-500 371.
 12. South East Central Railway, Bilaspur-495 004.
 13. South-Eastern Railway, Garden Reach, Kolkata-700 043.
 14. South-Western Railway, 18, Basaveshwara (Millers) Road, Bangalore-560 046.
 15. Western Railway, Churchgate, Mumbai-400 020.
 16. West-Central Railway, Jabalpur-482 001.
 17. ERS/Southern Railway, Ernakulam, Kerala-682506
- IV. Managing Director, RITES LTD., RITES Bhawan, Plot No.1, Sec.29, Gurgaon (Haryana)-122001.
- V. Managing Director, IRCON, Palika Bhawan, Sector XIII, R.K. Puram, New Delhi.
- VI. CAO/Northern Railway, USBRL Project, Satyam Resort Complex, Trikuta Nagar Extn., Jammu Tawi-180012.
- VII. CAO/ERS/Southern Railway, Ernakulam, Kerala-682 506.
- VIII. CMD, Rail Vikas Nigam Limited, Plot No.25, First Floor, August Kranti Bhawan, Bhikaji Cama Place, R.K.Puram, New Delhi-110066.
- IX. Dedicated Freight Corridor Corporation of India Limited, 5th floor, Pragati Maidan, Metro station Building Complex, New Delhi-110001

Digitally Signed by Pradeep
Kumar

Date: 06-04-2023 10:08:43

(Pradeep Kumar)
Reason: Approved
Director B&S-II

For Director General B&S

टेलीफोन / Tele: DOT-2465705(O) 2452426(Res.)
Rly.-42122(O) 43122(Res.)
फैक्स / Fax: 01-0522-2465705
E-mail: dsb2rdso@gmail.com



सत्यमेव जयते

भारत सरकार-रेल मंत्रालय
अनुसंधान अभिकल्प और मानक संगठन
कमरा नं०-223, एनेक्सी-बिल्डिंग,
मानकनगर, लखनऊ - 226011
Room No. 221, Annex-II Building,
Research Design & Standards Organisation
(Government of India-Ministry of Railways)
Manak Nagar, Lucknow- 226011.

No: CBS/PBEJ/Reg/J. Sons

Date: 28.08.2023

M/s. J. Sons Engineering Corp. (India)
J. Sons House, Garh Road,
Meerut-250002 UP

Sub: Continuation in the approved list of RDSO for fabrication of Elastomeric bearings and Expansion Joint with work address at Gesupur, Datawali, Garh Road, Meerut.

1. Based on Quality Audit of the infrastructure, T&P and other facilities installed at your work address at Gesupur, Datawali, Garh Road, Meerut, your firm registration is hereby continued in the approved list of RDSO for fabrication of Elastomeric bearings and Expansion Joint.
2. Any change in the address of your office or manufacturing units shall be brought to the notice of Director General/B&S, RDSO, Lucknow. You are liable to be dropped from the approved list if your product is found unsatisfactory at any stage of fabrication and inspection or on any other violation as mentioned in ISO documents.
3. This continuation in the approved list of RDSO will be valid for a period up to **30.06.2030**. Next quality audit shall be initiated as per RDSO ISO document No. QO-D-8.1-13.
4. The further continuation in the approved list of RDSO will be subject to Quality Audit which generally will be initiated after three years from the previous quality audit. However, if special condition warrants, Quality Audit may be conducted earlier also.
5. It is the responsibility of the firm to facilitate the RDSO Team for conducting Quality Audit as & when required.

Please acknowledge receipt of the letter.

Digitally Signed by Pradeep
Kumar

Date: 29-08-2023 10:22:44

Reason Approved

(Pradeep Kumar)

Director/ B&S-II

For Director General/B&S

Copy forwarded for information and necessary action to:

1. Chief Bridge Engineer:
 1. Central Railway, Mumbai CST-400 001.
 2. Eastern Railway, Fairlie Place, Kolkata-700 001.
 3. East Central Railway, Hazipur-844 101
 4. East-Coast Railway, Bhubaneshwar-751 016.
 5. Northern Railway, Baroda House, New Delhi-110 001.
 6. North-Central Railway, Allahabad-211 001.
 7. North Eastern Railway, Gorakhpur-273 001.
 8. North-Western Railway, Jaipur-302 001.
 9. Northeast Frontier Railway, Maligaon, Guwahati-781 061.
 10. Southern Railway, Park Town, Chennai-600 003.
 11. South Central Railway, Rail Nilayam, Secunderabad-500 371.



12. South East Central Railway, Bilaspur-495 004.
13. South Eastern Railway, Garden Reach, Kolkata-700 043.
14. South-West Railway, Hubli-580 023.
15. Western Railway, Mumbai-400 020.
16. West-Central Railway, Jabalpur-482 001.

II.

General Manager (Const.), Northeast Frontier Railway, Maligaon, Guwahati-780 011.

III.

Chief Administrative Officer (Constn.):

1. Central Railway, Chhatrapati Shivaji Terminus, Mumbai -400 001.
 2. Eastern Railway, Fairlie Place, Kolkata-700 001.
 3. East Central Railway, MahendruGhat, Patna-800 004.
 4. East-Coast Railway, Bhubaneshwar-755 001.
 5. Northern Railway, Kashmere Gate, Delhi- 110 006.
 6. North-Central Railway, Allahabad-211 001.
 7. North-Eastern Railway, Gorakhpur- 273 001.
 8. N.F. Railway, Maligaon, Guwahati-781 011.
 9. North-Western Railway, Near Jawahar Circle, Maliviya Nagar, Jaipur-302 006.
 10. Southern Railway, 183, EVR Periyar, High Road Egmore, Chennai -600 008.
 11. South Central Railway, Rail Nilayam, Secunderabad-500 371.
 12. South Eat Central Railway, Bilaspur-495 004.
 13. South-Eastern Railway, Garden Reach, Kolkata-700 043.
 14. South-Western Railway, 18, Basaveshwara (Millers) Road, Bangalore-560 046.
 15. Western Railway, Churchgate, Mumbai-400 020.
 16. West-Central Railway, Jabalpur-482 001.
 17. ERS/Southern Railway, Ernakulam, Kerala-682506
- IV. Managing Director, RITES LTD., RITES Bhawan, Plot No.1, Sec.29, Gurgaon (Haryana)-122001.
- V. Managing Director, IRCON, Palika Bhawan, Sector XIII, R.K. Puram, New Delhi.
- VI. CAO/Northern Railway, USBRL Project, Satyam Resort Complex, Trikuta Nagar Extn., Jammu Tawi-180012.
- VII. CAO/ERS/Southern Railway, Ernakulam, Kerala-682 506.
- VIII. CMD, Rail Vikas Nigam Limited, Plot No.25, First Floor, August Kranti Bhawan, Bhikaji Cama Place, R.K.Puram, New Delhi-110066.
- IX. Dedicated Freight Corridor Corporation of India Limited, 5th floor, Pragati Maidan, Metro station Building Complex, New Delhi-110001

Digitally Signed by Pradeep
Kumar (Pradeep Kumar)
Date: 29-08-2023 16:23:05
Reason: Approved
For Director General/B&S



UDYAM REGISTRATION CERTIFICATE

UDYAM REGISTRATION NUMBER

UDYAM-UP-56-0008680

NAME OF ENTERPRISE

M/S J SONS ENGINEERING CORPORATION (INDIA)

TYPE OF ENTERPRISE *

SNo.	Classification Year	Enterprise Type	Classification Date
1	2025-26	Small	01/04/2025
2	2024-25	Small	27/04/2024
3	2023-24	Small	09/05/2023
4	2022-23	Small	26/06/2022

MAJOR ACTIVITY

MANUFACTURING

SOCIAL CATEGORY OF
ENTREPRENEUR

GENERAL

NAME OF UNIT(S)

S.No.	Name of Unit(s)
1	J.SONS ENGINEERING CORPORATION (INDIA)

OFFICAL ADDRESS OF ENTERPRISE

Flat/Door/Block No.	J SONS HOUSE	Name of Premises/ Building	GARH ROAD
Village/Town	MEERUT	Block	MEERUT
Road/Street/Lane	GARH ROAD	City	MEERUT
State	UTTAR PRADESH	District	MEERUT , Pin 250002
Mobile	9412206925	Email:	info@jsonsbearings.com

DATE OF INCORPORATION /
REGISTRATION OF ENTERPRISE

23/10/2020

DATE OF COMMENCEMENT OF
PRODUCTION/BUSINESS

23/10/2019

NATIONAL INDUSTRY
CLASSIFICATION CODE(S)

SNo.	NIC 2 Digit	NIC 4 Digit	NIC 5 Digit	Activity
1	24 - Manufacture of basic metals	2410 - Manufacture of basic iron and steel	24109 - Manufacture of other basic iron and steel n.e.c	Manufacturing
2	22 - Manufacture of rubber and plastics products	2219 - Manufacture of other rubber products	22199 - Manufacture of other rubber products n.e.c.	Manufacturing

DATE OF UDYAM REGISTRATION

30/03/2021

* In case of graduation (upward/reverse) of status of an enterprise, the benefit of the Government Schemes will be availed as per the provisions of Notification No. S.O. 2119(E) dated 26.06.2020 issued by the M/o MSME.

For any assistance, you may contact:

1. District Industries Centre: MEERUT (UTTAR PRADESH)

2. MSME-DFO: AGRA (UTTAR PRADESH)

Visit : www.msme.gov.in ; www.dcmsme.gov.in ; www.udyamregistration.gov.in



Follow us @minmsme &



@msi





Labour Department, Uttar Pradesh

LICENCE UNDER
SECTION 6 OF
THE FACTORIES ACT, 1948
FORM No. 3
[RULE 7, (1)]
(Registration and Licence to Work a Factory)

Registration No:- **UPFA7000223**

Old Registration No:-

Date Of Issue **01/11/2025**

Licence is hereby granted to **SHALABH GUPTA** valid only for the premises described below for use as factory employing not more than **50** persons on any one day during the year and using motive power not exceeding **500** H.P. subject to the provisions of the Factory Act, 1948, and the rules made thereunder.

This licence shall remain in force till. **31/12/2027**. unless further renewed.

Description of the Licenced Premises

The licenced Premises shown on plan no. **SPR00004637** dated. **09/04/2018** are situated in **J. SONS ENGINEERING CORPORATION (INDIA), POST GESUPUR, DATAWALI, GARH ROAD, MEERUT**, District :- **Meerut** and consist of the buildings shown on approved site plan.

Validity

Valid From	Valid Till	Fee
01/01/2027	31/12/2027	2500.00

Issued on the behalf of the Director of Factories, Uttar Pradesh

Note:

1. This is a computer generated licence, hence, no signature is required.
2. This licence may be verified from the website of the Labour Department, Govt. of UP -www.uplabour.gov.in
3. This licence is issued solely on the basis of the information submitted by the applicant. The Labour Department does not undertake responsibility for the correctness of the information contained herein.
4. This license shall remain in force subject to validity of NOC from Fire Deptt. and U.P. Pollution Control Board during the entire period of this license.
5. For Major Accident Hazardous Factories, renewed license shall remain valid till as per validity of Safety Audit Report.



Certificate of Registration

*This is to certify that
The Quality Management System of*

J SONS ENGINEERING CORPORATION (INDIA)

ADDRESS: - J. SONS HOUSE, GARH ROAD, MEERUT - 250002, U.P. (INDIA).

*Has been independently assessed by **DGACERT** and is compliant with the requirements of*

ISO 9001:2015

For the following scope of activities:

BRIDGE BEARINGS i.e. POT - PTFE BEARINGS, SPHERICAL BEARINGS, ELASTOMERIC BEARINGS, ELASTOMERIC STOPPER BEARINGSS, ROCKER - ROLLER BEARINGS AND EXPANSION JOINTS, FABRICATIONS, ERECTION OF STEEL GIRDERS.

Certificate No.: 22800553133QM

Initial Registration Date: 13/04/2026


Issuance Date: 13/04/2026

Date of Expiry: 12/04/2029

1ST Surveillance Audit Due: 12/04/2027

2ND Surveillance Audit Due: 12/04/2028




Auth. Signatory

DGACERT MANAGEMENT SYSTEM PVT. LTD.

Email: info@dgacert.com | Web: www.dgacert.com

The Validity of this certificate can be verified at www.dgacert.com

This certificate of registration remains the property of Dgacert Management System Pvt. Ltd. and shall be returned immediately upon request.

DGACERT is accredited by UK Akkreditering Certification Forum Limited, UK (www.ukacf.co.uk)
71-75 Shelton Street, London, Greater London, United Kingdom, WC2H 9JQ





Bridge Bearings | Expansion Joints (Bridges & Architectural) | Steel Girders (Fabrication & Erection) | Rehabilitation

J.SONS HOUSE, GARH ROAD, MEERUT-250002 (U.P.) Tel. : 0121-4006097, 2603305-7 Fax : 91-121-2760797, 2760603

e-mail : info@jsonsbearings.com website : www.jsonsbearings.com

ORGANIZATION CHART



Date: 18/06/2026
Place: Meerut



(Shalabh Gupta)
(J. Sons Engineering Corporation (India))

GSTIN : 09AACFJ4108N1Z7



J.SONS ENGINEERING CORP. (INDIA)

APPROVED BY :

M.O.R.T.H.
&
R.D.S.O.

Bridge Bearings

Expansion Joints (Bridges & Architectural)

Steel Girders (Fabrication & Erection)

Rehabilitation

J.SONS HOUSE, GARH ROAD, MEERUT-250002 (U.P.) Tel. : 0121-4006097, 2603305-7 Fax : 91-121-2760797, 2760603

e-mail : info@jsonsbearings.com website : www.jsonsbearings.com

ECI

LIST OF TESTING MACHINES & EQUIPMENTS		
S. No.	NAME OF EQUIPMENT	QTY.
1	HORIZONTAL LOAD TESTING PRESS	01 NO.
2	VERTICAL LOAD TESTING PRESS	01 NO.
3	AGEING OVEN	01 NO.
4	DYE PENETRATION SET	01 NO.
5	ELCOMETER	01 NO.
6	VISCOMETER	01 NO.
7	UNIVERSAL TENSILE TESTING MACHINE	01 NO.
8	HARDNESS TESTING MACHINE FOR STEEL	01 NO.
9	TENSILE TESTING MACHINE FOR ELASTOMER	01 NO.
10	CUTTING PRESS FOR DISC MOULDING	01 NO.
11	SPECIFIC GRAVITY BALANCE	01 NO.
12	MUFFLE FURNACE FOR ASH CONTENT	01 NO.
13	COMPRESSION SET APPARATUS	01 NO.
14	ULTRASONIC TESTING MACHINE	01 NO.
15	SURFACE ROUGHNESS TESTER FOR SS	01 NO.
16	SHORE HARDNESS TESTER	02 NOS.
17	FIXTURE FOR SHEAR LOAD TEST	03 NOS.
18	VERNIER CALLIPER	02 NOS.
19	MICROMETER	01 NO.
20	DIAL GAUGES	04 NOS.
21	GO-NO-GO GAUGES	01 NO.
22	COMPRESSION LOAD DEFLECTION FIXTURE	03 NOS.
23	WELDING GAUGES	01 NO.
24	EDGE PREPARATION EQUIPMENT	02 NOS.
25	WEIGHING DIGITAL MACHINE	01 NO.
26	IMPACT TESTING MACHINE	01 NO.
27	CRUCIBLE	02 NOS.
28	MEASURING TAPES	01 NO.
29	SURFACE FLATNESS TESTER	01 NO.

For J Sons Engineering Corporation (India)



(Shalabh Gupta)

PIBCO LIMITED

(R&D CENTRE)

PUNJ SONS PREMISES
2, Kalkaji Industrial Area
New Delhi-110019
Phones : +91-11-26215735
Fax : +91-11-26464344
Mobile : +91-8800465678
E-mail : pibcornd@gmail.com
info@pibcornd.com
Website : www.pibcornd.com

Date:12/04/2023

MEMORANDUM OF UNDERSTANDING

Pursuant to agreement between M/s. J. Sons Engineering Corporation India, J. Sons House Garh Road Meerut and M/s. PIBCO Limited R & D Centre, 2, Kalkaji Industrial Area, New Delhi. They have agreed to carry out testing of material. The agreement is elaborated as follows:

1. That shall M/s. PIBCO Limited R & D Centre, shall be doing the testing of the material as per the requirement of M /s. J. Sons Engineering Corporation India, and in accordance to defined IS & ASTM codes etc.
2. All test specimen required by M/s. PIBCO Limited R & D Centre shall be supplied by M /s. J. Sons Engineering Corporation India.
3. All type of Chemical, Mechanical and Thermal testing of Rubber Material shall be carried out by PIBCO Limited R & D Centre as and when required by M /s. J. Sons Engineering Corporation India. All test Certificate shall be issued by M/s. PIBCO Limited R & D Centre
4. Testing Charges shall be borne by M/s. J. Sons Engineering Corporation India.
5. This MOU is valid for the period of 65 months (12/04/2023 to 12/09/2028) from the date of signing this MOU.

Thanking you


PIBCO LIMITED R&D CENTRE
2, Kalkaji Industrial Area, New Delhi

M/s. J. sons Engineering Corporation India
J. sons House Garh Road Meerut



National Accreditation Board for
Testing and Calibration Laboratories

CERTIFICATE OF ACCREDITATION

PIBCO LIMITED R & D CENTRE

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

**"General Requirements for the Competence of Testing &
Calibration Laboratories"**

for its facilities at

2, KALKAJI INDUSTRIAL AREA, NEW DELHI, DELHI, INDIA

in the field of

TESTING

Certificate Number: TC-5219

Issue Date: 14/10/2025

Valid Until: 13/10/2029

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.
(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Name of Legal Entity: PIBCO LIMITED

Signed for and on behalf of NABL



Anuja
Anuja Anand
Director

Chakravarthy T. Kannan
Chakravarthy T. Kannan
Chief Executive Officer

PIBCO LIMITED

(R&D CENTRE)

REGD. & CORPORATE OFFICE:
PUNJ SONS PREMISES
2, Kalkaji Industrial Area
New Delhi-110019
Phones : +91-11-26215735
Mobile : +91-8800465678
E-mail : pibcornd@gmail.com
info@pibcornd.com
care@pibcornd.com
Website : www.pibcornd.com

TEST REPORT

ULR-TC521925010000375

Date: 16.12.2025

Issue to: M/s. J. Sons Engineering Corp. (India),
Garh Road,
Meerut - 250002
Uttar Pradesh



Description of Sample: Elastomeric Bearing Sheet,
Batch No.: 6171
Thickness: 2 mm
Colour: Black

Ref. No.: LETTER
Dated: 05.12.2025
Date of Receipt: 06.12.2025
Start Date of Analysis: 10.12.2025
End Date of Analysis: 16.12.2025


Manufactured By: J. Sons Engineering Corp (India)

Any Other Information: Sample Sealed by Mr. Satyendra Kumar (058) of M/s. CEIL.
Name of Contractor: ESM-SGSR "JV"
Project: Manufacturing & Supply of Elastomeric Bearing for DFCCIL Project at
Mughalsarai (DDU Nagar) Distt: Chandauli, Uttar Pradesh

S. No.	Name of Test	Result	Requirement (As per IRC:83(PtII)-2018)	Test Method
1.	Ash Content, % (At 550°C)	4.80	5 Max.	IS:3400(Pt22)
2.	Adhesion Strength, kN/m	7.3	7 Min.	IS:3400(Part14) (Method A)
3.	Polymer Content, %	60.8	50 Min.	IS:3400(Pt22)
4.	Polymer Identification	Chloroprene Rubber	Chloroprene Rubber	IS:3400(Pt22)

Note: Polymer identification and Polymer content test were done from outsource lab

*** End of Report ***



DATE OF VISIT - 12/12/25 & 16/12/25.

ISO 9001 : 2015 Certified

- NOTE :
- The result listed refer only to the tested samples and applicable parameters(Endorsement of products is neither inferred or implied)
 - Samples will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
 - This report is not to be reproduced wholly or in part and can not be used as an evidence in the Court of Law and should not be used in any advertising media without prior written permission from the Director, PIBCO LTD. New Delhi.



PIBCO LIMITED

(R&D CENTRE)

ACCREDITED BY: NATIONAL ACCREDITATION BOARD FOR TESTING AND CALIBRATION LABORATORIES

REGD. & CORPORATE OFFICE:

PUNJ SONS PREMISES

2, Kalkaji Industrial Area

New Delhi-110019

Phones : +91-11-26215735

Mobile : +91-8800465678

E-mail : pibcornd@gmail.com

info@pibcornd.com

Website : www.pibcornd.com

ULR-TC52192500000789F

TEST REPORT

Date: 16.12.2025

Issue to: M/s. J. Sons Engineering Corp. (India),
Garh Road,
Meerut - 250002
Uttar Pradesh



Description of Sample: Elastomeric Bearing Sheet,
Batch No.: 6171
Thickness: 2 mm
Colour: Black

Ref. No.: LETTER
Dated: 05.12.2025
Date of Receipt: 06.12.2025
Start Date of Analysis: 10.12.2025
End Date of Analysis: 16.12.2025

Manufactured By: J. Sons Engineering Corp (India)

Any Other Information: Sample Sealed by Mr. Satyendra Kumar (058) of M/s. CEIL.
Name of Contractor: ESM-SGSR "JV"
Project: Manufacturing & Supply of Elastomeric Bearing for DFCCIL Project at
Mughalsarai (DDU Nagar) Distt: Chandauli, Uttar Pradesh

S. No.	Name of Test	Result	Requirement (As per IRC:83(PtII)-2018)	Test Method
1.	Tensile strength, N/mm ²	17.1	16 Min.	ISO:37 Type 2
2.	Elongation at break, %	538	425 Min.	ISO:37 Type 2
3.	Hardness, IRHD	67.2	70±5 (As per Client)	IS:3400 (Part2)
4.	Specific Gravity	1.366	-	ISO:2781
5.	Compression Set, % (At 70°C for 24 hour)	10.51	15 Max.	ISO:815
6.	Heat Ageing Test (At 100°C for 3 days)			ISO:188
	(a) Change in Tensile strength, %	-14.0	±15	
	(b) Change in Elongation at break, %	- 21.5	±25	
	(c) Change in Hardness, IRHD	+3	±5	
7.	Resistance to ozone cracking Number of test specimen : 03 Static strain testing : Procedure B Sample Condition Temperature : 27±2°C Time : 48 hours Elongation : 30% Test Condition Temperature : 40±2°C Relative Humidity : 60±5% Ozone concentration : 100±10 pphm Elongation : 30% Time : 96 hours	No Cracks observed after 96 hours testing	No Cracks	ISO:1431-1

*** End of Report ***

DATE of visit - 12/12/25 & 16/12/25.

(Reviewed and Authorised by)

ISO 9001 : 2015 Certified

- NOTE :
- The result listed refer only to the tested samples and applicable parameters (Endorsement of products is neither inferred or implied)
 - Samples will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
 - This report is not to be reproduced wholly or in part and can not be used as an evidence in the Court of Law and should not be used in any advertising media without prior written permission from the Director, PIBCO LTD. New Delhi.





CARSUL LABORATORIES

NABL ACCREDITED LABORATORY

(An ISO 9001 : 2015 Certified Co.)

A House of Destructive & Non Destructive Testing for
Ferrous & Non Ferrous Metals & Alloys

JAS-ANZ



ISO
9001 : 2015
Certified

Ph. : 0120-2793663
4560173
Mob. : 9891682130
9213986134
9213989071
9810727081

Date :- 01-April-2023

MEMORANDUM OF UNDERSTANDING

Pursuant to agreement between M/s J.Sons Engineering Corporation India, J. Sons House Garh Road, Meerut and M/s. Carsul Laboratories, 29-30, LGF (Basement), Suchita Complex, Ambedkar Road, Ghaziabad, has agreed to carry out testing of material. The agreement is elaborated as follows :-

1. That shall M/s Carsul Laboratories, 29-30, LGF (Basement), Suchita Complex, Ambedkar Road, Ghaziabad, shall be doing the testing of the material as per the requirement of M/s J.Sons Engineering Corporation India, J sons House Garh Road, Meerut. And in accordance to defined IS & ASME Codes etc.
2. All test specimen required by M/s Carsul Laboratories, 29-30, LGF (Basement), Suchita Complex, Ambedkar Road, Ghaziabad, shall be supplied by M/s J.Sons Engineering Corporation India, J.sons House Garh Road, Meerut.
3. All type of Chemical, Mechanical and Microstructure testing, Ultrasonic testing shall be carried out M/s. Carsul Laboratories, 29-30, LGF (Basement), Suchita Complex, Ambedkar Road, Ghaziabad, as and when required by M/s J.Sons Engineering Corporation India, J sons House Garh Road, Meerut. All test Certificate Shall be issued by M/s Carsul Laboratories, 29-30, LGF (Basement), Suchita Complex, Ambedkar Road, Ghaziabad.
4. Charges for testing the specimens shall be borne by M/s J.Sons Engineering Corporation India, J.sons House Garh Road, Meerut.
5. This MOU is valid for the period of 65(01/04/2023-31/08/2028)months from the date of signing the MOU.

M/s. J. sons Engineering Corporation India
J.sons House Garh Road Meerut

For J. Sons Engg. Corpn. (I)

Partner/Auth. Sign.

For M/s. Carsul Laboratories
29-30, LGF, Suchita Complex
Ambedkar Road, Ghaziabad.

Address : 29-30, LGF (Basement) Suchita Complex, Ambedkar Road, Ghaziabad-201001 (U.P.) INDIA
E-mail : carsul_1983@yahoo.com, Website : www.carsullab.com

Note :

- * Report belongs to particular samples submitted for Analysis.
- * Samples will be destroyed after one month unless instructed.
- * This report cannot be challenged in any court of law.
- * Our liability for any loss/damage due to report (if proved), maximum to the charges paid for Analysis.

For Spectro Analysis Tensile Bend Impact Compression Ultrasonic test M.P.T. D.P.T.

We undertake : Third Party Inspection for LRA, BVIS, TUV, RITES, SGS, DNV, NTPC, BHEL, TPL, RDSO ETC.



National Accreditation Board for
Testing and Calibration Laboratories

CERTIFICATE OF ACCREDITATION

CARSUL LABORATORIES

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

**"General Requirements for the Competence of Testing &
Calibration Laboratories"**

for its facilities at

29-30 LGF (BASEMENT), SUCHITA COMPLEX, AMBEDKAR ROAD, GHAZIABAD, UTTAR PRADESH,
INDIA

in the field of

TESTING

Certificate Number: NABLT0626UP18315 (In lieu of TC-5615)

Issue Date: 01/06/2026

Valid Until: 31/05/2030


This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued
satisfactory compliance to the above standard & the relevant requirements of NABL.

(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Name of Legal Entity: CARSUL LABORATORIES

Signed for and on behalf of NABL




Anuja Anand
Director


Dr. Ramanand N. Shukla
Chief Executive Officer

TEST REPORT

M/s J. Sons Engineering Corporation (India), Garh Road, Meerut	Report No. : CSL/2025 -26/25122025 Date : 24-12-2025 D.O.R. of Sample : 23-12-2025
---	--

Party Ref. No. : Sample of "Round ϕ 16 mm thk." (STUD) for Mechanical & Chemical Test, As per IS: 2062 Gr.BR
--

MECHANICAL RESULT

		OBSERVED VALUES	REQ. VALUES
S.No.	Mech. Properties	Round ϕ 16 mm	As per IS 2062 – 2011
1.	Yield Strength (MPa)	333	Y.S. – 250 Min.
2.	Ult. Tensile Strength (MPa)	465	U.T.S. – 410 Min.
3.	Elong % at 5.65 $\sqrt{A}$	29.46	Elong% – 23%
4.	Bend Test at 180°	Satisfactory	–

CHEMICAL RESULT

		OBSERVED VALUES	REQ. VALUES
S.No.	Elements	Round ϕ 16 mm	As per IS 2062 – 2011
1.	Carbon%	0.19	C% – 0.22 Max.
2.	Silicon%	0.18	Si% – 0.40 Max.
3.	Manganese%	0.97	Mn% – 1.50 Max.
4.	Phosphorus%	0.017	P% – 0.045 Max.
5.	Sulphur%	0.026	S% – 0.045 Max.

Material Conform to IS : 2062-2011 E 250 Gr. BR w.r.t above Results.

CHECKED BY
K.M.K. Saxena



For CARSUL LABORATORIES
Rahul Saxena
Quality Manager
(Auth. Signature)

Address : 29-30, LGF (Basement) Suchita Complex, Ambedkar Road, Ghaziabad-201001 (U.P.) INDIA
E-mail : carsul_1983@yahoo.com, Website : www.carsullab.com

Note :

- * Report belongs to particular samples submitted for Analysis.
- * Samples will be destroyed after one month unless instructed.
- * This report cannot be challenged in any court of law.
- * Our liability for any loss/damage due to report (if proved), maximum to the charges paid for Analysis.

For **Spectro Analysis** **Tensile** **Bend** **Impact** **Compression** **Ultrasonic test** **M.P.T.** **D.P.T.**

We undertake : Third Party Inspection for LRA, BVIS, TUV, RITES, SGS, DNV, NTPC, BHEL, TPL, RDSO ETC.

TEST REPORT

M/s J. Sons Engineering Corporation (India), Garh Road, Meerut	Report No. : CSL/2025 -26/25122025 Date : 24-12-2025 D.O.R. of Sample : 23-12-2025
---	--

Party Ref. No. : Sample of "Flat 50 x 5 mm thk." for Mechanical & Chemical Test, As per IS: 2062 Gr.Br

MECHANICAL RESULT

		OBSERVED VALUES	REQ. VALUES
S.No.	Mech. Properties	Flat 50x5	As per IS 2062 – 2011
1.	Yield Strength (MPa)	298	Y.S. – 250 Min.
2.	Ult. Tensile Strength (MPa)	423	U.T.S. – 410 Min.
3.	Elong % at 5.65√A	29.90	Elong% – 23%

CHEMICAL RESULT

		OBSERVED VALUES	REQ. VALUES
S.No.	Elements	Flat 50x5	As per IS 2062 – 2011
1.	Carbon%	0.20	C% – 0.22 Max.
2.	Silicon%	0.27	Si% – 0.40 Max.
3.	Manganese%	0.87	Mn% – 1.50 Max.
4.	Phosphorus%	0.022	P% – 0.045 Max.
5.	Sulphur%	0.024	S% – 0.045 Max.

Material Conform to IS : 2062-2011 E 250 Gr. BR w.r.t above Results.

CHECKED BY
K.M.K. Saxena

*****End of Report*****



For CARSUL LABORATORIES
Rahul Saxena
Quality Manager
(Authorized Signatory)

Address : 29-30, LGF (Basement) Suchita Complex, Ambedkar Road, Ghaziabad-201001 (U.P.) INDIA
E-mail : carsul_1983@yahoo.com, Website : www.carsullab.com

Note :

- * Report belongs to particular samples submitted for Analysis.
- * Samples will be destroyed after one month unless instructed.
- * This report cannot be challenged in any court of law.
- * Our liability for any loss/damage due to report (if proved), maximum to the charges paid for Analysis.

For **Spectro Analysis** **Tensile** **Bend** **Impact** **Compression** **Ultrasonic test** **M.P.T.** **D.P.T.**

We undertake : Third Party Inspection for LRA, BVIS, TUV, RITES, SGS, DNV, NTPC, BHEL, TPL, RDSO ETC.



CARSUL LABORATORIES

NABL ACCREDITED LABORATORY

(An ISO 9001 : 2015 Certified Co.)

A House of Destructive & Non Destructive Testing for
Ferrous & Non Ferrous Metals & Alloys



Ph. : 0120-2793663
4560173
Mob. : 9891682130
9213986134
9213989071
9810727081

TEST REPORT

M/s J. Sons Engineering Corporation (India), Garh Road, Meerut	Report No. : CSL/2025 -26/25122025 Date : 24-12-2025 D.O.R. of Sample : 23-12-2025
---	--

Party Ref. No. : Sample of "Angle 75 x 75 x 8 mm thk." for Mechanical & Chemical Test, As per IS: 2062 Gr.BR

MECHANICAL RESULT

		OBSERVED VALUES	REQ. VALUES
S.No.	Mech. Properties	Angle 75x75x8	As per IS 2062 – 2011
1.	Yield Strength (MPa)	322	Y.S. – 250 Min.
2.	Ult. Tensile Strength (MPa)	494	U.T.S. – 410 Min.
3.	Elong % at 5.65√A	30.17	Elong% – 23%

CHEMICAL RESULT

		OBSERVED VALUES	REQ. VALUES
S.No.	Elements	Angle 75x75x8	As per IS 2062 – 2011
1.	Carbon%	0.17	C% – 0.22 Max.
2.	Silicon%	0.23	Si% – 0.40 Max.
3.	Manganese%	0.86	Mn% – 1.50 Max.
4.	Phosphorus%	0.018	P% – 0.045 Max.
5.	Sulphur%	0.017	S% – 0.045 Max.

Material Conform to IS : 2062-2011 E 250 Gr. BR w.r.t above Results.

CHECKED BY
K.M.K. Saxena

*****End of Report*****



Address : 29-30, LGF (Basement) Suchita Complex, Ambedkar Road, Ghaziabad-201001 (U.P.) INDIA
E-mail : carsul_1983@yahoo.com, Website : www.carsullab.com

Note :

- * Report belongs to particular samples submitted for Analysis.
- * Samples will be destroyed after one month unless instructed.
- * This report cannot be challenged in any court of law.
- * Our liability for any loss/damage due to report (if proved), maximum to the charges paid for Analysis.

For Spectro Analysis Tensile Bend Impact Compression Ultrasonic test M.P.T. D.P.T.

We undertake : Third Party Inspection for LRA, BVIS, TUV, RITES, SGS, DNV, NTPC, BHEL, TPL, RDSO ETC.

GSTIN : 09AACFJ4108N1Z7



J.SONS ENGINEERING CORP. (INDIA)

APPROVED BY :

M.O.R.T.H.
&
R.D.S.O.

Bridge Bearings

Expansion Joints (Bridges & Architectural)

Steel Girders (Fabrication & Erection)

Rehabilitation

J.SONS HOUSE, GARH ROAD, MEERUT-250002 (U.P.) Tel. : 0121-4006097, 2603305-7 Fax : 91-121-2760797, 2760603

e-mail : info@jsonsbearings.com website : www.jsonsbearings.com

DETAIL OF PARA 6.5 "TESTING FACILITIES OF POT-PTFE BEARINGS" INHOUSE

NAME OF COMPANY:- J.SONS ENGINEERING CORP. INDIA, GARH ROAD MEERUT.

TESTING MACHINE NAME:- HYDROLIC PRESS

MAKE:-J.SONS ENGINEERING CORP. (INDIA)

MODEL NUMBER:- 01/2014

QUANTITY:- 1 NO

SERIAL NUMBER:- JSECI-01

CAPACITY :- 2000 MT

YEAR OF COMMISSIONING:-2014



For J Sons Engineering Corporation (India)



(Shalabh Gupta)



Bridge Bearings

Expansion Joints (Bridges & Architectural)

Steel Girders (Fabrication & Erection)

Rehabilitation

J.SONS HOUSE, GARH ROAD, MEERUT-250002 (U.P.) Tel. : 0121-4006097, 2603305-7 Fax : 91-121-2760797, 2760603

e-mail : info@jsonsbearings.com website : www.jsonsbearings.com

LIST OF EMPLOYED

MANAGERIAL:

S. No.	Name of Person	Qualification/ Experience
1	Shri Shalabh Gupta	M.B.A.
2	Shri Vivek Gupta	B.Tech
3	Shri Vipin Gupta	Graduate with long Experience in Admin.
4	Shri Vipin Maheshwari	Graduate with long Experience in Taxation
5	Mr. Sachin Sharma	B.Tech & Designer

TECHNICAL TEAM, PRODUCTION INCHARGE & SUPERVISORY:

S. No.	Name of Person	Qualification/ Experience
1	Mr. Rohit Som	B.Tech in Mechanical. 04 years experience in production
2	Mr. Ajay Tomar (Production Engg.)	B.Tech in Mechanical. 07 years experience in production
3	Mr. Amit Gupta	Diploma in engineering, 20 Years experience in production & marketing
4	Mr. Sharan Veer Singh	Post graduate with long experience
5	Mr. Nitin Gupta	Graduate. 12 years experience in purchase
6	Mr. Harendra Kumar	Post Graduate. 10 years experience in production.
7	Mr. Prashant Goswami	Diploma in Mechanical Engineering. 04 Years experience
8	Mr. Abhishek Kumar	M.Tech
9	Mr. B.S. Rawat	Graduate with Experience above 15 years.
10	Mrs. Garima Sharma	Graduate. 05 years experience in tendering
11	Mr. Deepak Sharma	Post Graduate

SKILLED/ARTISAN:

S. No.	Name of Person	Qualification/ Experience
1	Mr. Ram Iqbal	I.T.I.
2	Mr. Sanjay Tomar	High School and long experience
3	Mr. Rahisuddin	8th class with 18 years experience
4	Mr. Sahendra Pal	I.T.I. with long experience
5	Mr. Dushyant Solanki	8th class with 8 years experience
6	Mr. Kamal Deep	High School with 8 years experience
7	Mr. Rajesh Pandey	8th class with 9 years experience
8	Mr. Imran	8th class with long experience
9	Mr. Azad Ali	High School with 7 years experience
10	Mr. Rijwan	High School with 7 years experience
11	Mr. Rajesh Singh	High School
12	Mr. Neeraj Sharma	Intermediate with 12 years experience
13	Mr. Rehman	I.T.I.
14	Mr. Deepak Kumar	I.T.I.

(Page No. 02)

S. No.	Name of Person	Qualification/ Experience
15	Mr. Yaqub Khan	8th class with 12 years experience
16	Mr. Rakesh Saini	High School with 5 years experience
17	Mr. Subhash	High School with 8 years experience
18	Mr. Rajesh Kumar	High School with 9 years experience
19	Mr. Ved Prakash	High School with 9 years experience
20	Mr. Bijendra Kumar	8th class with 14 years experience
21	Mr. Rahul Kumar	High School with 6 years experience
22	Mr. Naveen Kumar	High School

UNSKILLED:

S. No.	Name of Person	Qualification/ Experience
1	Mr. Jai Prakash	14 years experience
2	Mr. Gaurav	4 years experience
3	Mr. Noor Mohd.	10 years experience
4	Mr. Umesh Kumar	12 years experience
5	Mr. Ramesh	9 years experience
6	Mr. Shaukeen	5 years experience
7	Mr. Sanjay Shukla	10 years experience
8	Mr. Yusuf	10 years experience
9	Mr. Rihan	5 years experience
10	Mr. Asif	5 years experience
11	Mr. Rajesh	10 years experience
12	Mr. Akash	5 years experience
13	Mr. Sumit	3 years experience
14	Mr. Chote Rawat	5 years experience
15	Mr. Ravindra Singh	10 years experience

Warm Regards
For J. Sons Engineering Cororation (India)



Shalabh Gupta
Managing Partner
Mob: 9837057568



PASHCHIMANCHAL VIDYUT VITRAN NIGAM LIMITED

पश्चिमांचल विद्युत वितरण निगम लि०



1912



7859804803

विद्युत बीजक / Electricity Bill

वेबसाइट / Website www.uppcl.org

अकाउंट सं./Account No.: 3258-594-000			
नाम/ Name :	M/S.J.SONE ENG. CORPORATION (INDIA)	खंड/ Division :	EDD KITHOR MEERUT (EDD IV MEERUT) (DIV170725)
पिता/पति का नाम /Husband/Father	C/O.SHALAB GUPTA S/O AKHIL GUPTA	खंड का ईमेल/ Email of Division :	
पता / Address :	GESUPUR DATAWALIMEERUT MEERUT UP IND	उपखंड/ Subdivision :	EDSD I MEDICAL (SDO1707251)
मोबाइल/ Mobile No.:	xxxxxx6015	स्वीकृत भार / Sanction Load :	100 kVA
ई-मेल / Email :		बिल्ड डिमांड/ Billed Demand :	94.20
संयोजन तिथि/ Connection Date :	01-JUL-2020	टैरिफ/ Tariff :	HV2 PV Industrial
बिल संख्या/ Bill Number :	325-816-609-920	सप्लाई टाइप/ Supply Type :	H21A
इनऑपरेटिव राशि / Inoperative Amount:	0.00	जमा प्रतिभूति / Security Deposit :	181398
प्रगामी सब्सिडी / Progressive Subsidy :	0.00	कनेक्शन प्रकार / Connection Type :	POSTPAID
पावर फैक्टर/Power Factor:		मीटर संख्या /Meter Type :	HT-NEW_TOD
		मीटर संख्या /Meter Number :	Q0933522

बिल तिथि / Bill Date	08-APR-2026	बिल आधार / Bill Basis	OK	Scan & Pay your Bill स्कैन करें और अपने बिल का भुगतान करें 
देय तिथि / Due Date	22-APR-2026	देय धनराशि/ Payable Amount	144568	
विच्छेदन तिथि/Disc. Date	29-APR-2026	देय तिथि तक छूट / Due Date Rebate (₹)	1344.81	
नेट बिल्ड यूनिट/ Net Billed Unit	14187.00	देय तिथि तक धनराशि/ Payable by Due date	143223	

उपभोक्ता अपने संयोजन का भार (Load) ऑनलाइन वेबसाइट www.uppcl.org एवं मोबाइल एप 'UPPCL Consumer App' पर जाकर स्वयं बढ़ावें

विवरण / Details	धनराशि / Amount (₹)	विवरण / Details	धनराशि/ Amount
		सी.जी.एस.टी./CGST	0.00
		एस.जी.एस.टी./SGST	0.00
उर्जा प्रभार / Energy Charges	103403.63	वर्तमान विलम्ब भुगतान अधिभार /Current LPSC	0.00
मांग प्रभार / Demand Charges	28260.00	पूर्व विलम्ब भुगतान अधिभार / Previous LPSC	0.00
न्यूनतम प्रभार / Minimum Charges	0.00	नेट करंट बिल/ Net Current Bill	142824.15
ग्रीन उर्जा शुल्क / Green Energy Charges	0.00	सरकार द्वारा छूट / Subsidy by Govt. (-)	0.00
विद्युत कर / Electricity Duty	10086.09	सब्सिडाइज़्ड बिल / Subsidized Bill	0.00
अतिरिक्त मांग प्रभार / Excess Demand Penalty	0.00	बकाया धनराशि / Arrear Amount	1743.48
कम पीएफ अधिभार/Low PF Surcharge	0.00	देय धनराशि / Payable Amount	144568
एलटी मीटरिंग ऊर्जा सरचार्ज/ LT Metering Energy Surcharge	0.00		
विविध चार्ज / Misc. Charges	1074.43	शब्दों में / In Words: One Lakh Forty Four Thousand Five Hundred Sixty Eight Rupees Only	

मीटर मेक एवं संख्या	ऊर्जा प्रकार	मीटर स्थिति	दर्ज मांग	पिछली/ Previous		वर्तमान/ Current		अंतर	मीटर गुणांक	मीटर यूनिट	अवधि (माह)	मीटर टिप्पणी
Meter Make & Number	Energy Type	Meter Status	Recorded Demand	तिथि/ Date	रीड/Read	तिथि/ Date	रीड/Read	Diff.	M.F.	Meter Units	Period (Months)	Meter Remark
ETLQ0933522	KVA	A	31.4						3	94.2 KVA	0	OK
ETLQ0933522	TOD-1 05-11 KVAH	A		16-MAR-2026 17:09	25541	01-APR-2026 00:00	26634	1093	3	3279 KVAH	0	OK
ETLQ0933522	TOD-2 11-17 KVAH	A		16-MAR-2026 17:09	31143	01-APR-2026 00:00	33457.5	2314.5	3	6943.5 KVAH	0	OK
ETLQ0933522	TOD-3 17-23 KVAH	A		16-MAR-2026 17:09	27944	01-APR-2026 00:00	29048	1104	3	3312 KVAH	0	OK
ETLQ0933522	TOD-4 23-05 KVAH	A		16-MAR-2026 17:09	29172	01-APR-2026 00:00	29389.5	217.5	3	652.5 KVAH	0	OK
ETLQ0933522	TOD-5 05-10 KVAH	A		16-MAR-2026 17:09	13166.5	01-APR-2026 00:00	13813.5	647	3	1941 KVAH	0	OK
ETLQ0933522	TOD-6 10-19 KVAH	A		16-MAR-2026 17:09	58217	01-APR-2026 00:00	61482	3265	3	9795 KVAH	0	OK
ETLQ0933522	TOD-7 19-03 KVAH	A		16-MAR-2026 17:09	27897.5	01-APR-2026 00:00	28647.5	750	3	2250 KVAH	0	OK
ETLQ0933522	TOD-8 03-05 KVAH	A		16-MAR-2026 17:09	14519	01-APR-2026 00:00	14586	67	3	201 KVAH	0	OK
ETLQ0933522	KWH	A		16-MAR-2026 17:09	91531.5	01-APR-2026 00:00	95828.5	4297	3	12891 KWH	0	OK

निर्धारित यूनिट/	0.00	प्रारंभिक अधिशेष सौर यूनिट/	0.00	अंतिम अधिशेष सौर यूनिट/	0.00
------------------	------	-----------------------------	------	-------------------------	------

Assessed Unit(A)		Opening Surplus Solar Units		Closing Surplus Solar Units	
पी2पी विक्रय यूनिट / P2P Sold Units				पी2पी क्रय यूनिट / P2P Bought Units	

"IMAGE NOT AVAILABLE"	1. विद्युत आपूर्ति संहिता-2005 के खण्ड 9.3 के अन्तर्गत इस बिल को अन्तिम नोटिस माना जायेगा। बकाया का भुगतान न करने पर किसी भी तिथि पर आपूर्ति काटी जा सकती है / This Bill will be construed as Final Notice under Section 9.3 of Electricity Supply Code - 2005. Supply can be disconnected at any date on Non-payment of Dues. 2. 7859804803 पर मिस्रड कॉल करके विद्युत सम्बन्धी सेवायें व्हाट्सएप पर प्राप्त करें / To get electricity related services on Whatsapp give a missed call on 7859804803 3. उपभोक्ता अपने बिल का भुगतान विद्युत कार्यालयों, राशन की दुकान, जनसुविधा केन्द्र, विद्युत सखी, मीटर शीडरों के माध्यम से तथा ऑनलाईन वेबसाइट 'www.uppcl.org' एवं मोबाइल एप 'UPPCL Consumer App' पर जाकर कर सकते हैं / Consumers can pay bills through Department Offices, Fair Price Shops, Jansuvidha Kendra, Vidyut Sakhi, Meter Readers and by visiting online website 'www.uppcl.org' & mobile app 'UPPCL Consumer App'. 4. उपभोक्ता स्वयं अपने संयोजन का स्वीकृत भार घर बैठे वेबसाइट 'www.uppcl.org' एवं मोबाइल एप 'UPPCL Consumer App' पर जाकर बढ़ा सकते हैं / Consumers can themselves increase contracted load of their connection through the website 'www.uppcl.org' or through the mobile app 'UPPCL Consumer App'. 5. डी.डी./चेक हेतु प्राप्तकर्ता /Pay DD/Cheque in favour of : EXECUTIVE ENGINEER-EDD KITHOR MEERUT (EDD IV MEERUT) 6. राष्ट्र हित में बिजली बचायें / Energy Saved is Energy Produced.
-----------------------	--

Printed By: report

Bill Type:

Print Date: 15/4/2026 11:17:01 AM

"पीएम सूर्य घर मुफ्त बिजली योजना" का लाभ पाने हेतु प्ले स्टोर से "पीएम सूर्य घर" APP डाउनलोड करें और उस पर Apply करें।

विविध चार्जेज का विवरण / Details of Miscellaneous Charges					
Sr. No.	विवरण / Details	धनराशि/ Amount (₹)	Sr. No.	विवरण / Details	धनराशि/ Amount (₹)
1	अनन्तिम समायोजन /Provisional Adjustment (₹)	0.00	11	अनाद्रित चेक प्रभार /Dishonor Cheque Charge (₹)	0.00
2	टैरिफ समायोजन /Tariff Adjustments (₹)	0.00	12	प्रतिभूति ब्याज /Interest on Security (₹)(-)	0.00
3	क्रेडिट /Credit (₹)(-)	0.00	13	देय प्रतिभूति /Due Security (₹)	0.00
4	डेबिट /Debit (₹)	0.00	14	टी.डी.एस. राशि /TDS Amount (₹)	0.00
5	छूट /Rebate (₹)(-)	0.00	15	टी.सी.एस. राशि /TCS Amount (₹)	0.00
6	किश्त /Installment (₹)	0.00	16	अग्रिम भुगतान पर व्याज / Interest on Advance Payment (₹)(-)	0.00
7	आर्मर्ड केबल शुल्क/ Armoured Cable Cost (₹)	0.00	17	देय तिथि छूट समायोजन /Due date rebate adjustment (₹)(-)	1743.17
8	मीटर चार्जेज / Meter Charges (₹)	0.00	18	AC शुल्क /Charges for AC (₹)	0.00
9	मुआवज़ा राशि / Compensation Amt (₹) (-)	0.00	19	ईंधन और बिजली अधिभार / FPPA Surcharge (₹)	2817.60
10	अनाद्रित चेक धनराशि /Dishonor Cheque (₹)	0.00			

विद्युत चोरी/अनियमितता का राजस्व निर्धारण / Theft/UUE Revenue Assessment	
Theft Assessment / विद्युत चोरी का राजस्व निर्धारण	0.00
LPSC on Theft Assessment / (विद्युत् चोरी के राजस्व निर्धारण पर विलम्बित भुगतान अधिभार)	0.00
Total / (कुल)	0.00

अंतिम भुगतान का विवरण / Last Payment Details			
भुगतान दिनांक / Payment Date	भुगतान धनराशि / Payment Amount (₹)	भुगतान माध्यम / Payment Mode	रसीद संख्या / Receipt No.
25-MAR-2026	195032.00	payment via internet	325849087088

विगत छः माह का उपभोग / Last Six month's Consumption			
Sr. No.	माह /Month	रिकॉर्डेड डिमांड/ Recorded Demand (kW / kVA)	उपभोग /Consumption in Units (kWh / kVAh)
1	MAR-2026	330.06	300039789.00
2	FEB-2026	110.76	23314.50
3	JAN-2026	97.86	20350.50
4	DEC-2025	97.26	24505.50
5	NOV-2025	93.30	24069.00
6	OCT-2025	96.24	24505.50

गणना विवरण /Calculation Details									
SrNo.	विवरण /Details	यूनिट /Unit	दरें /Rates (₹)	कुल धनराशि /Gross Amt. (₹)	सब्सिडी दरें / Cross Subsidy Rates (₹)	सब्सिडी धनराशि / Cross Subsidy Amt. (₹)	सरकार द्वारा अनुमन्य सब्सिडी दरें / Govt Subsidy Rates (₹)	सरकार द्वारा अनुमन्य सब्सिडी धनराशि / Govt Subsidy Amt. (₹)	नेट धनराशि /Net Amt.(₹)
2	फिक्सड/मांग प्रभार/Fixed/Demand Charges	94.20	300.00	28260.00	0.00	0.00	0.00	0.00	28260.00
3	टाइम ऑफ़ डे प्रभार /Time of Day (ToD) Charges	TOD-1	3074.06	0.000,7.100	21825.83	0.00	0.00	0.00	21825.83
		TOD-2	6509.53	0.000,7.100	46217.66	0.00	0.00	0.00	46217.66
		TOD-3	3105.00	0.000,8.165	25352.33	0.00	0.00	0.00	25352.33
		TOD-4	611.72	0.000,6.035	3691.73	0.00	0.00	0.00	3691.73
		TOD-5	121.31	6.035,0.000	732.11	0.00	0.00	0.00	732.11
		TOD-6	612.19	7.100,0.000	4346.55	0.00	0.00	0.00	4346.55
		TOD-7	140.63	8.165,0.000	1148.24	0.00	0.00	0.00	1148.24
		TOD-8	12.56	7.100,0.000	89.18	0.00	0.00	0.00	89.18
4	विद्युत कर /Electricity Duty	0.00	0.00	10086.09	0.00	0.00	0.00	0.00	10086.09
5	अतिरिक्त मांग प्रभार /Excess Demand Penalty	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00


ABBREVIATION	FULL FORM	ABBREVIATION	FULL FORM	ABBREVIATION	FULL FORM
PF	Power Factor	LPSC	Late Payment Surcharge	MF	Multiplying Factor
ToD	Time of Day	MU	Meter Units	IDF	Identified Defective
RDF	Reading Defective	CDF	Ceiling Defective	ASS	Assessment


TDS	Tax Deducted at Source	CGST	Central Goods & Services Tax	SGST	State Goods & Services Tax
TCS	Tax Collected at Source	Misc.	Miscellaneous		A/C: 3258594000/325816609920

Printed By: report

Bill Type:

Print Date: 15/4/2026 11:17:01 AM





GSTIN : 09AACFJ4108N1Z7



J.SONS ENGINEERING CORP. (INDIA)

APPROVED BY :

M.O.R.T.H.
&
R.D.S.O.

Bridge Bearings

Expansion Joints (Bridges & Architectural)

Steel Girders (Fabrication & Erection)

Rehabilitation

J.SONS HOUSE, GARH ROAD, MEERUT-250002 (U.P.) Tel. : 0121-4006097, 2603305-7 Fax : 91-121-2760797, 2760603

e-mail : info@jsonsbearings.com website : www.jsonsbearings.com

SOME FEW WORKS EXECUTED IN LAST FIVE YEARS (2022 TO 2026)

2022					
S.NO.	DEPARTMENT	BEARINGS	Quantity (NOS.)	CAPACITY	NO. OF SPAN
1.	NORTHERN RAILWAY	POT BEARING	36 NOS.	180 MT	6 SPANS
2.	IRCON	STRIP SEAL EXPANSION JOINT	910 RM	80 MM	48 SPANS
3.	UPSBC	POT BEARING	60 NOS.	117 MT	10 SPANS
4.	NHAI	ELASTOMER BEARING	600 NOS.	280 MT	50 SPANS
2023					
1.	NHAI	ELASTOMER BEARING	150 NOS.	300 MT	15 SPANS
2.	WESTERN RAILWAY	POT BEARING	50 NOS.	280 MT	5 SPANS
3.	UPSBC	STRIP SEAL EXPANSION JOINT	1200 RMT	80 MM	50 SPANS
4.	IRCON	SPEHRICAL BEARING	300 NOS.	400 MT	15 SPANS
2024					
1.	NHAI	POT BEARING	84 NOS.	340 MT	7 SPANS
2.	DFCC	POT BEARING	24 NOS.	290 MT	2 SPANS
3.	RVNL	ELASTOMER BEARING	400 NOS.	125 MT	20 SPANS
4.	SOUTH EASTERN RAILWAY	ELASTOMER BEARING	100 NOS.	241 MT	5 SPANS
2025					
1.	N.F. RAILWAY	POT BEARING	72 NOS.	275 MT	6 SPANS
2.	NORTHERN RAILWAY	ELASTOMER BEARING	84 NOS.	300 MT	7 SPANS
3.	NHAI	POT BEARING	108 NOS.	370 MT	9 SPANS
4.	NHAI	ELASTOMER BEARING	80 NOS.	275 MT	10 SPANS
2026					
1.	NORTHERN RAILWAY	EXPANSION JOINT	301.6 RM	80 MM	12 SPANS
2.	PWD, DELHI	ELASTOMER BEARING	40 NOS.	302 MT	4 SPANS
3.	NHAI	ELASTOMER BEARING	360 NOS.	385 MT	20 SPANS
4.	PWD, ASSAM	POT BEARING	64 NOS.	285 MT	8 SPANS

Date: 18/06/2026

Place: Meerut



(Shalabh Gupta)

(J. Sons Engineering Corporation (India))



Bridge Bearings | Expansion Joints (Bridges & Architectural) | Steel Girders (Fabrication & Erection) | Rehabilitation

J.SONS HOUSE, GARH ROAD, MEERUT-250002 (U.P.) Tel. : 0121-4006097, 2603305-7 Fax : 91-121-2760797, 2760603

e-mail : info@jsonsbearings.com website : www.jsonsbearings.com

MAJOR WORK IN HAND (2026)

2026					
S.NO.	DEPARTMENT	BEARINGS	Quantity (NOS.)	CAPACITY	NO. OF SPAN
1.	NHAI	EXPANSION JOINT	754 RMT	80 MM	36 SPANS
2.	NORTHERN RAILWAY	SPHERICAL BEARINGS	48 NOS.	550 MT	8 SPANS
3.	UPSBC	POT BEARING	120 NOS.	157 MT	20 SPANS
4.	SOUTH EASTERN RAILWAY	ELASTOMER BEARING	550 NOS.	257 MT	55 SPANS
5.	PWD, ASSAM	POT BEARING	108 NOS.	350 MT	18 SPANS
6.	PWD, UK	ROCKER & ROLLER BEARING	92 SETS	250 MT	23 SPANS
7.	NHAI	ELASTOMER BEARING	360 NOS.	280 MT	30 SPANS
8.	BRO	POT BEARING	80 NOS.	500 MT.	20 SPANS
9.	CENTRAL RAILWAY	ELASTOMER BEARING	80 NOS.	250 MT	20 SPANS
10.	NHAI	ELASTOMER BEARING	780 NOS.	312 MT	65 SPANS.

Date: 18/06/2026
Place: Meerut



(Shalabh Gupta)
(J. Sons Engineering Corporation (India))